

BK0087PG0528

ROAD REPORT
MILAM COUNTY
PRECINCT 1
September 1, 2017 –
August 31, 2018

COUNTY OF MILAM

BK0087PG0529

PRECINCT NO. 1

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:
See Attached Report

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
\$600,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 25%

4. Any new roads that should be opened in the precinct. None


5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 2 wooden bridges need to be replaced, some roads need to be resealed, and some roads need to have gravel applied.

Submitted by the undersigned on this 5th day of September, 2018.



Commissioner, Precinct 1

Subscribed and sworn to, before me, the undersigned authority, this 5th day of Sept. 2018.



Notary Public



(File in the minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of county fiscal year-Section 251.005, Transportation Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
100	0.2	Gravel		yes	Good
101	1.1	Gravel		yes	Needs some patching.
102	2.5	Gravel		yes	Good
103	1.7	Gravel		yes	Good
104	7.9	Gravel and sealcoat	yes	yes	Applied 3880 yds gravel.
104 Loop	0.6	Gravel		yes	Applied 20 yds gravel.
104 A	0.5	Gravel			Dirt road.
104 B	0.3	Gravel		yes	Applied 42 yds gravel.
104 C	0.5	Gravel		yes	Good
105	0.9	Gravel		yes	Applied 20 yds gravel.
106	1.2	Gravel	yes	yes	Good
107	0.5	Gravel		yes	Good
108	1.1	Gravel		yes	Applied 2540 yds gravel.
108 A	0.7	Gravel		yes	Applied 36 yds gravel.
109	1.9	Gravel		yes	Good
110	1.3	Gravel		yes	Cleaned ditches and applied 2580 yds gravel.
111	0.7	Gravel			Good
112	4.6	Gravel		yes	Applied 3160 yds gravel.
112 A	0.5	Gravel		yes	Good
112 B	0.4	Gravel			Good
113	1.1	Gravel		yes	Good
114	2.1	Gravel		yes	Applied 1140 yds gravel.
115	2.8	Gravel		yes	Applied 2644 yds gravel.
115 A	0.2	Gravel			Lake road
116	6.1	Gravel	yes	yes	Applied 1100 yds gravel.
116 A	0.9	Gravel		yes	Needs gravel in spots.
117	1.4	Gravel		yes	All of road needs gravel
118	1.4	Gravel		yes	Applied 580 yds gravel.
118 A	0.7	Gravel		yes	Needs gravel in spots.
119	2.8	Gravel	yes	yes	Applied 40 yds gravel.
120	3.5	Gravel	yes	yes	Good
122	0.8	Gravel and sealcoat		yes	Good
123	0.5	Gravel		yes	Good
124	0.8	Gravel			Good
125	0.6	Sealcoat			Good
126	0.4	Gravel			Needs spots graveled.

William County Precinct 1 Road Report
 September 1, 2017 - August 31 2018

Road Number	Length	Surface	Bridges	Culverts	Comments
131	2.8	Sealcoat and gravel			Preped and sealcoated road.
132	1.8	Gravel		yes	Applied 640 yds gravel.
143	2.3	Seal coat		yes	36 yds patch mix and replaced 3 culverts.
143 A	0.4	Gravel			Good
144	1.1	Seal coat		yes	Applied 3,980 tons base.
144 A	0.2	Gravel		yes	Needs gravel in spots.
145	3.1	Sealcoat and gravel		yes	Needs patching.
145 A	1.1	Gravel		yes	Needs gravel in spots.
146	3.3	Gravel		yes	40 yds gravel.
147	1.8	Gravel	yes	yes	Applied 40 yds gravel.
150	0.9	Gravel			Good
201	3.1	Gravel		yes	Applied 324 yds gravel and part of road needs to be reworked.
202	1.7	Gravel		yes	Good
202 A	0.2	Gravel			Needs gravel in spots.
203 Loop	6.5	Gravel and base		yes	Patched road.
204	2.1	Gravel and sealcoat		yes	Applied 164 yds gravel.
204 A	0.5	Gravel			Good
204 B	0.5	Gravel			Good
205	1.4	Gravel		yes	Good
205 A	0.3	Gravel		yes	Good
205 B	1.9	Gravel		yes	Good
206	3.2	Gravel		yes	Applied 103 tons patch mix.
206 A	0.5	Gravel		yes	Applied 1304 yds gravel.
207	1.5	Gravel		yes	Good
208	3.4	Gravel and sealcoat		yes	Applied 49,91 tons oversize rock to side part of road in soft spot.
208 A	0.7	Gravel			Needs gravel in spots.
209	1.6	Gravel		yes	Good
209 A	0.5	Gravel		yes	Good
210	2.7	Gravel		yes	Needs gravel in spots.
212	4.1	Gravel		yes	Good
212A	1.3	Gravel		yes	Good
213	1.2	Gravel		yes	Good
214	1.9	Gravel		yes	Good
215	3.1	Gravel		yes	Applied 45 tons cold patch mix.
215 A	0.6	Gravel			Good
216	1.2	Gravel			Good

Road Number	Length	Surface	Bridges	Culverts	Comments
216 A	0.8	Gravel		yes	Installed culvert and applied 466 yds gravel.
217	1.4	Gravel		yes	Applied 96 yds gravel.
217 A	0.2	Gravel			Good
218	2.5	Gravel	yes	yes	Applied 120 yds base and 138 tons cold patch mix.
218 A	0.3	Gravel		yes	Good
219	2.1	Gravel			Replaced culvert and applied 4220 yds gravel & a load of sealer.
220	1.3	Gravel		yes	Good
221	0.7	Sealcoat and gravel		yes	Applied 276 yds gravel.
222	1.1	Gravel		yes	Good
223	0.9	Sealcoat		yes	Good
230	4.1	Gravel	yes	yes	Replaced culvert with concrete bridge & applied 864 yds materials.
401	1.2	Gravel		yes	Good
402	3.4	Sealcoat and gravel	yes	yes	Applied 1020 yds gravel.
402 A	0.4	Gravel		yes	Road needs gravel
403	1.9	Gravel	Washed out	yes	Good
404	0.3	Gravel			Good
404 Loop	3.2	Gravel		yes	Applied 1660 yds gravel.
405	3.4	Gravel	yes	yes	Applied 3960 yds gravel.
406	3.8	Gravel		yes	Good
407	2.9	Gravel		yes	Needs gravel in spots.
408	2.8	Gravel		yes	Applied 40 yds gravel and 172 yds base.
409	1.7	Gravel		yes	Needs gravel in spots.
410	1.6	Gravel and sealcoat		yes	Good
410 A	0.3	Gravel and sealcoat			Good
411	0.9	Gravel		yes	Good
412 West	3.5	Gravel		yes	Applied 820 yds gravel.
413	1.9	Gravel		yes	Good
414	3.9	Gravel		yes	Good
415	1.3	Gravel		yes	Needs gravel in spots.
416	0.7	Gravel		yes	Needs gravel in spots.
417	2.3	Gravel	yes	yes	Good
418	4.7	Gravel		yes	Needs gravel in spots.
418 A	0.5	Gravel		yes	Good
418 B	0.6	Gravel		yes	Good
422	3.1	Gravel		yes	Applied 40 cy of gravel.

BK0087760532

William County Precinct 1 Road Report
September 1, 2017 - August 31 2018

Road Number	Length	Surface	Bridges	Culverts	
422 A	0.3	Gravel			Good
423	0.9	Gravel	yes	yes	Applied 60 yds base & 40 yds gravel.
423 A	0.9	Gravel		yes	Good
424	1.1	Gravel		yes	Good
470	0.6	Gravel		yes	Needs gravel.
Capital Lane	0.9	Gravel		yes	Good
Village Lane	0.2	Gravel			Good
Davilla Road	0.2	Gravel			Good
Alamo Road	1.2	Sealcoat		yes	Needs to be ressealed.
Ben William Rd.	1.1	Sealcoat		yes	Needs to be ressealed.
Laughlin Road	0.6	Gravel		yes	Good
Goetz Road	0.9	Sealcoat		yes	Road needs to be sealcoated.
Goetz Road A	0.1	Gravel		yes	Road needs to be sealcoated.
					194.4 Miles of Roads in Pct. 1
					30,360 cy. of gravel put on roads.
					12,268 tons of base put on roads.
					322 tons of cold patch mix put on roads.
					50 tons oversized rock worked into roads.
					5 culverts replaced.
					1 bridge replaced with concrete bridge.

BK0087PC0533

ROAD REPORT
SEPT.1 2017 –
AUG.31,2018

BK0087PG0534

MILAM COUNTY

PCT. 2

DONALD SHUFFIELD

COUNTY OF MILAM

BK 0087PG0535

PRECINCT NO. 2

ANNUAL ROAD REPORT

- 1. Condition of each road culvert, and bridge in the precinct:
GREAT CONDITION

- 2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
1.3 MILLION

- 3. Number of traffic control devices in the precinct defaced or torn down: 45 %

- 4. Any new roads that should be opened in the precinct: NO


- 5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: NONE

Submitted by the undersigned on this 23 day of August, 2007

Donald S. Piffard
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 23rd day of August 2018

Denise Wallace
Notary Public



Denise Wallace
My commission expires: 11-10-18

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year- Section 251.005, Transportation Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
132	0.5	GRAVEL	1 STEEL	1	APPLIED 381.40 TONS OF GRAVEL. GOOD.
133W.	8.6	GRAVEL	CONCRETE	23	NEEDS GRAVEL.
133E.	1.1	GRAVEL		1	FAIR
133A	0.3	GRAVEL		2	FAIR
133B	0.1	GRAVEL		2	FAIR
133C	0.5	GRAVEL		2	FAIR
134W.	2.8	GRAVEL		5	APPLIED 95.72 TONS OF BASE.
134E	1.4	GRAVEL		4	APPLIED 577.15 TONS OF GRAVEL.
134A	0.8	GRAVEL		3	FAIR
134B	0.3	GRAVEL		1	FAIR
135	3.3	GRAVEL		14	NEEDS GRAVEL. APPLIED 338. TONS OF GRAVEL.
135A	0.2	GRAVEL		1	FAIR. NEEDS GRAVEL IN SPOTS.
136	3.5	GRAVEL	LOW WATER	10	APPLIED 613.12 TONS OF BASE. FAIR
			CROSSING		
136A	0.4	GRAVEL		8	
137	2.3	GRAVEL			APPLIED 580.41 TONS OG GRAVEL. FAIR
137A	0.3	GRAVEL	PRIVATE PROPERTY		
138	1.9	GRAVEL			NEEDS GRAVEL.
139 Loop	4.6	GRAVEL	BRIDGE		NEEDS GRAVEL.
139	2.4	SEALCOAT			NEEDS MAJOR WORK. COLD MIX 54.11
139A	0.1	GRAVEL			GOOD
140	3.1	SEAL-COATED			
140A	0.4	GRAVEL		9	APPLIED 389.01 TONS OF COLD MIX.
142	0.5	SEAL-COATED	BRIDGE		GOOD
142A	0.5	GRAVEL			GOOD
225	0.7	GRAVEL		1	GOOD.
226	1.6	GRAVEL		4	GOOD.
226A	0.3	GRAVEL			GOOD
227	4.4	GRAVEL		1	GOOD.
228	1.7	SEALCOAT	1 CONCRETE	24	APPLIED 3.45 TONS OF COLD MIX.
228A	0.4	SEALCOAT		4	GOOD.
228B	0.5	GRAVEL		1	NEEDS GRAVEL.
		GRAVEL		3	FAIR.

Station	Gravel	Seal-Coat	Material	Notes	Condition
228C	1.2	GRAVEL			2 FAIR
229	3.3	SEAL-COAT			9 GOOD
229A	0.3	GRAVEL			GOOD
231	0.8	SEAL-COAT/GRAVEL			FAIR
237A	0.1				GOOD
Burlington					
238 Loop	0.4	GRAVEL			1 APPLIED 405.02 TONS OF BASE, 66,740 TON OF GRAVEL,
282	1.1	SEAL-COATED			4 SEAL-COATED
281	0.5	SEAL-COATED			3 APPLIED 158.45 TONS OF GRAVEL
280	2.3	GRAVEL			APPLIED 95,640 TONS OF GRAVEL
238		SEAL-COATED			APPLIED 13,993.0 TONS OF GRAVEL, 206.04 TONS OF DE BLEND.
240	2.9	GRAVEL	CONCRETE		1 APPLIED 73.32 TONS OF GRAVEL, APPLIED 329.15 TONS OF BASE
240A	0.5	GRAVEL			2 APPLIED 49.98 TONS OF GRAVEL
241	2.4	GRAVEL			GOOD
241A	0.6	GRAVEL			GOOD
241B	0.2	GRAVEL			APPLIED 813.88 TONS OF GRAVEL, NEEDS MORE GRAVEL
242	1.9	GRAVEL			APPLIED 863.26 TONS OF GRAVEL
242A	0.3	GRAVEL			GOOD
244	1.4	GRAVEL			APPLIED 1373.18 TONS OF BASE MINE SERVICE 237.40 TONS
244A	0.5	GRAVEL			GOOD
245	0.9	GRAVEL			FAIR
245A	0.2	GRAVEL			FAIR
246	0.3	GRAVEL			GOOD
247	1.4	GRAVEL			GOOD
248	1.4	GRAVEL			GOOD
249	7.1	GRAVEL			NEEDS GRAVEL
249A	0.4	SEAL-COATED			GOOD
250	2.9	SEAL-COATED			NEEDS A LITTLE WORK
250 Loop	5.8	GRAVEL			NEEDS A LITTLE WORK
250A	0.2	GRAVEL			GOOD
251	0.3	GRAVEL			FAIR

BK00887P@537

ROAD #	LENGTH	SURFACE	BRIDGES	CULVERT	COMMENTS	Page 3
252	1.3	GRAVEL		2	GOOD	
253	0.4	GRAVEL		1	GOOD	
254N	1.3	GRAVEL		3	GOOD	
254S	1.5	GRAVEL		2	GOOD (DUST CONTROL)	
255 Loop	2.5	GRAVEL	1 STEEL BRIDGE	7	GOOD	
255N	2.5	GRAVEL		3	NEEDS GRAVEL	
255E	3.3	GRAVEL	CONCRETE BRIDGE	7	APPLIED 600.36 TONS OF GRAVEL.	
255A	6.3	GRAVEL			GOOD	
255B	0.1	GRAVEL			FAIR	
256	0.6	GRAVEL		2	FAIR TO GOOD	
257	1.3	GRAVEL		2	APPLIED 387.18 TONS OF GRAVEL. NEEDS GRAVEL.	
258	6.4	GRAVEL	BRIDGE	11	FAIR	
259	9.8	GRAVEL	CONCRETE	17	APPLIED 387.18 TONS OF GRAVEL.	
259A	0.1	GRAVEL			GOOD.	
260	0.9	GRAVEL		3	GOOD	
262	0.6	GRAVEL		2	NEEDS GRAVEL	
263	1.2	GRAVEL		5	FAIR	
263 Loop	0.4	GRAVEL		1	FAIR	
263A	0.4	GRAVEL		2	FAIR	
263B	0.2	GRAVEL			GOOD.	
264A	2.1	GRAVEL		5	GOOD	
264	4.6	GRAVEL			GOOD	
265S	0.9	GRAVEL		5	GOOD	
265N	0.3	GRAVEL		13	GOOD	
265A	0.8	GRAVEL		3	GOOD	
266	1.1	GRAVEL		2	GOOD	
266A	0.2	GRAVEL	CONCRETE BRIDGE	21	NEEDS GRAVEL.	
267	6.1	GRAVEL			GOOD	
268	1.3	GRAVEL		5	GOOD.	
269	0.9			2	GOOD.	
270	5.7	GRAVEL	STEEL BRIDGE	9	NEEDS GRAVEL IN SOME PLACES.	

BK00087P005338

William County Precinct 2 Road Report
 September 1 2017 - August 31 2018

ROAD #	LENGTH	SURFACE	BRIDGES	CULVERT	COMMENTS:
270A	0.3	GRAVEL		2	FAIR NEEDS GRAVEL
271	0.6	GRAVEL			FAIR
271A	0.6	GRAVEL			APPLIED 348,124.88 TONS OF GRAVEL. NEEDS GRAVEL.
272	1.6	GRAVEL	WOODEN BRIDGE	6	GOOD
273	4.1	GRAVEL			GOOD
274	0.9	GRAVEL	2 CONCRETE BRIDGE	3	GOOD - NEEDS GRAVEL
274A	1.1	GRAVEL	ADD - LOW WATER CROSSING	4	NEEDS GRAVEL IN SPOTS.
275	3.8	GRAVEL			GOOD
276	3.8	GRAVEL		2	APPLIED 66,78 TONS OF BASE. NEEDS GRAVEL.
276A	1.1	GRAVEL		2	NEEDS GRAVEL
277	0.7	GRAVEL		12	GOOD
278	6.7	GRAVEL		1	NEEDS GRAVEL
278A	2.1	GRAVEL		5	GOOD
279	2.6	GRAVEL	FLATCAR	2	GOOD
Back Woods	1.1	GRAVEL			
Rockdale					
300	1.3	GRAVEL		1	NEEDS GRAVEL
301	1.1	GRAVEL			ADDED LIMESTONE
303	1.1	SEALCOAT	CONCRETE CULVERT 7X7X40		NEEDS WORK
303B	0.3	GRAVEL			GOOD
333	0.9	SEALCOAT			GOOD
335	3.3	GRAVEL	RR TANKCAR	8	GOOD
ADD 276A		SEALCOAT		2	GOOD
ADD 303A	0.5	SEALCOAT			FAIR
Northwood Dr.	0.1	SEALCOAT			GOOD
Northwood Cr.	0.6	SEALCOAT			GOOD
Minerva					
230A	0.4	GRAVEL			FAIR
232	3.4	GRAVEL			GOOD - NEEDS A LITTLE GRAVEL.
232 Loop	1.6	SEALCOAT		3	NEEDS A LITTLE WORK
232A	0.6	GRAVEL		1	GOOD
232B	0.5	GRAVEL		2	GOOD
233	1.2	GRAVEL		3	FAIR - NEEDS GRAVEL

BK 0087760539

Milam County Precinct 2 Road Report
 September 1, 2017 - August 31, 2018

ROAD #	LENGTH	SURFACE	BRIDGES	CULVERTS	COMMENTS
235	4.4	SEALCOAT	CONCRETE	18	NEEDS A LITTLE WORK
235B	0.3	GRAVEL			GOOD
235C	0.6	GRAVEL			GOOD
309	0.8	GRAVEL			NEEDS GRAVEL
384	0.6	GRAVEL			GOOD
Cedar Grove	0.5	SEALCOAT		3	APBED + CULVERT
Blair Lane	0.6	SEALCOAT		3	GOOD
Woods Road	0.1	SEALCOAT			FAIR
Los Torrenos	0.9	GRAVEL			GOOD
Los Ranchitos	1.5	SEALCOAT		2	GOOD
Refinery Road	0.2	GRAVEL			GOOD
BEN ARNOLD	1.1	SEALCOAT			GOOD
208.05 total miles of roads					

BK0087PG0540

BK0087PG0541

COUNTY OF Milam
PRECINCT NO. 3

10/10/18

ANNUAL ROAD REPORT


- 1. Condition of each road, culvert and bridge in the precinct:
ATTACHED
- 2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
1,400,000
- 3. _____
- 4. Number of traffic control devices in the precinct defaced or torn down: 15
- 5. Any new road that should be opened in the precinct: No
- 6. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: ATTACHED

Submitted by the undersigned on this _____ day of _____

John L Fisher
Commissioner, Precinct 3

Subscribed and sworn to, before me, the undersigned authority, this 5th day of Sept 2018

Denise Wallace
Notary Public



Denise Wallace
My commission expires: 11-10-18

(File in minutes and submit to Commissioners Court with a copy of any road work contracts for past year. Section 251.005, Trans. Code)

Road Number	Length	Surface	Culverts	Bridges	Comments
234	7.1	2 Paved 5.1 Gravel	8	2	Good BK 0087PG0542
234LP	1.3	Gravel	2		"
236	3.9	"	5	0	"
237	4.9	"	5	1	"
239	3.7	"	7	0	"
264	3	"	2	1	Bridges Good (Road Fair)
316A	1.5	"	4	0	Road Good (Culvert Fair)
314A	0.1	"	0	0	Good
315	2	Miscellaneous Base	3	0	Good 2 Fair Road Fair
316	2.4	"	3	0	Good 2 Fair Road Fair
314	5.6	2 Paved 3.6 Gravel	10	0	Good
318	1.1	Paved	4	1	Bridges & Culverts good (Road Fair)
319	2.1	Gravel	3		Good
320	4.5	2.5 Paved 2 Gravel	5	1	Culverts Good (Pavement Fair) (Gravel Replaced)
321	0.8	Gravel	0	0	Fair
322	9.5	2.5 Paved 7 Gravel	2	0	Culverts Good (Road Fair)
322A	1	Paved	2	0	Culverts Good (Road Fair)
323	4.1	Gravel	11	0	Good
324	1.2	Paved	3	0	Culverts Good (Road Good)

Road Number	Length	Surface	Culverts	Bridges	Comments
325	2.7	0.1 Paved 2.6 Gravel	1	0	Gravel Fair (Pavement Bad)
326	3.1	Gravel	7	0	Good
327	8.1	Gravel	6	1	(Culverts Bad) (Bridge Fair) (Road Fair)
327A	0.5	"	2	0	Bad
328	6.1		9	0	Fair
329	2.4	2.1 Paved 0.3 Gravel	10	0	Culverts Bad (Pavement Fair)
330	7.3	Gravel	10	0	Culverts Bad (Road Fair)
331	2	Gravel	4	0	Fair
331A	2	Gravel	3	0	Fair
331B	1	Gravel	3	0	Fair
331C	0.7	"	0	0	Road
333	1.8	0.9 Paved 0.9 Gravel	3	0	Culverts Road (Pavement Bad)
334	4.2	2.1 Paved 2.1 Gravel	9	0	Culverts Bad (Pavement Poor)
335	1.2	Paved	1	0	Bad
336	2.3	1.2 Paved 1.1 Gravel	4	0	Fair
336A	0.3	Gravel	0	0	Fair
337	2	Gravel	0	0	Fair
338	1.1	Gravel	1	0	Poor

343
344
345
346
347
348
349

Road Number	Length	Surface	Culverts	Bridges	Comments
339	4.2	Gravel	4	0	Culverts Road (Road Fair)
340	2.6	"	4	0	Road
340A	1.1	"	3	0	(Culverts Fair) (Road Good)
341	2	"	0	0	Poor
342	15.1	"	17	0	(Culverts Fair) (Road Fair)
343	5.1	"	8	1	Good
344LP	3.4	"	4	0	(Culverts Fair) (Road Fair)
348LP	2.2	"	4	0	Road
349	0.4	"	0	0	Fair
350	1.2	"	1	0	Fair
350A	.5	"	0	0	Road
351	2	"	2	0	Good
352	1	"	2	0	(Culverts & Road) (Road Road)
353	12.3	"	14	2	Road
354	2	Gravel	3	0	Road
355A	0.3	Gravel	6	0	Road
355B	0.3	"	0	0	Road
355LP	2.8	"	4	0	Road
356	1.7	"	2	0	Some Road Some Fair
357	1	"	1	0	Fair

BK0
 DB7
 16
 05
 44

Road Number	Length	Surface	Curves	Bridges	Comments
3574	0.3	Paved	0	0	Good
358	8.1	1.1 Paved 7 Shingles	9	3	Pavement Bad Best Good
359	0.9	Gravel	3	0	Good
360	0.9	"	3	0	Good
362	1.6	"	1	0	Good
364	7.2	"	7	1	fair
372	1	"	0	0	Good
373	0.5	"	0	0	"
374	1.2	"	2	0	"
375	0.9	"	0	0	Good
378					ABANDONED
379	0.3	"	0	0	Good
380	1.1	Paved	4	0	Good
381	0.8	Gravel	0	0	Good
383	0.5	Gravel	1	0	Good
Lincoln Springs	1.3	Gravel	3	0	Fair
Fairview Rd	1.8	Paved	17	0	Substd Good (Pavement Bad)
22 Mile Rd	2	Paved	2	0	Good

Materials

18,000 yards

198,737 miles

COUNTY OF MILAM §
PRECINCT NO. 4 §

BK0087PG0546

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct and the primary cause of any road, culvert or bridge degradation: See Attached Forms:
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$ 1,500,000.00.
3. Number of traffic control devices in the precinct defaced or torn down: 33
4. Any new road that should be opened in the precinct: None
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: Bridge washed out on CR 464 needs to be replaced. Working with FEMA on this project. CR 455 is being developed really fast there will need some major work done on it. \$ 1,000,000.00.

Submitted by the undersigned on this 3 day of September.

Commissioner Jeff Muegge, Precinct 4

Signature: Jeff Muegge


Subscribed and sworn to, before me, the undersigned authority, this 5th day of Sept 2018.

Notary Public

Signature: Denise Wallace

Printed Name: Denise Wallace

My Commission expires: 11-10-18



William County Precinct 4 - Road Report
 September 1, 2017 - August 31, 2018

Road Number	Length	Surface	Bridges	Culverts	Conditions	Comments
302	3.1	Seal-Coat	0	9	Deteriorating - bad spots	Patched;
302A	0.3	Seal-Coat	0	1	Fair	Patched; BK 008 / PG 0547
304	4.9	Gravel	0	13	Developing area - high traffic count,	Bladed & hauled base
304A	1.1	Gravel	0	1	Fair	Bladed;
305	2.5	Seal-Coat	0	4	High traffic count - just north of Rockdale	Patched;
306	3.2	Seal-Coat	0	7	East end good condition; west end and middle section needs attention; Fast growing development coming;	Patched; Fixed a wash-out; shredded;
306A	0.1	Gravel	0	0	Fair	Bladed;
307	1.1	Seal-Coat	0	5	Good Shape	shredded; ground up soft spots; hauled base;
308	0.5	Seal-Coat	0	2	Fair	Patched;
308A	1	Seal-Coat	0	2	Fair	Patched;
310	0.5	Gravel & Seal-Coat	0	1	Fair-needs some attention	Patched;
311	0.3	Seal-Coat	0	2	Fair	Patched;
312	1.7	Gravel	0	4	Fair-needs a culvert and Gravel	Bladed; Pick up tree limbs
313	6.5	Gravel & Seal-Coat	0	7	Fair-needs gravel in sections	Bladed; Patched; Clearing ROW; Pick up tree limbs
313A	3.6	Gravel	0	4	Fair	Bladed;
313B	1	Slag	0	1	Fair	Clear ROW; Bladed;
313C	0.3	Slag	0	2	Fair	Bladed;
314	4.2	Gravel	0	10	Fair-needs gravel in sections	Bladed;
314B	0.2	Gravel	0	1	Fair-needs gravel in sections	Bladed;
317	1.9	Gravel	0	2	Fair	Shredded; bladed
412	4.4	Gravel	0	13	Fair to Good shape-needs gravel on west end	Bladed; hauled gravel; worked on culvert & drainage;
412A	1	Gravel	1	1	Fair-needs gravel	Picked up a fallen tree;
412B	0.1	Gravel	0	0	Fair - needs gravel	Bladed

417	2	Gravel	0	4	Fair--needs gravel; subdivision coming	Bladed; hauled gravel; shredded;
418	1.5	Gravel	0	5	Fair	Watered; bladed, oiled and rolled; cut brush/shredded;
418B	0.6	Gravel	0	2	Fair	Bladed;
418C	0.8	Gravel	0	2	Fair	Bladed;
419	1.4	Gravel	0	4	Fair	Bladed;
420	1.7	Seal-Coat	0	8	Fair-shape-in progress of working on it;	Patched; Watered; rolled; added blade mix, packed; rolled; hauled Raps;
421	3.7	Gravel & Seal Coat	1	14	Working on it at this time; Grinding and applying Fly Ash to prep east end to chipseal.	Patched; 4/3/2017 Neyland Bridge Constr. installed new bridge. Cut Brush; watered road; grinding, blading, water, packed; bladed, applied SS 1, hauled Raps, Bladed, packed; watered hauled base, grinded and applied Flyash; BK O
421A	0.2	Seal-Coat	0	1	(In San Gabriel) Good	Bladed;
426	1.2	Gravel	0	2	Fair	Bladed;
427	1.1	Gravel	0	2	(Was 422/425) Fair	Bladed;
428	1.7	Seal-Coat	1	4	Fair-some deterioration	Bladed;
429	6	Gravel-S Seal-Coat-N	1	18	North end Good shape, South end in Fair shape	Clean ditch; shredded; worked on bridge applied foam;
430	3.8	Gravel	0	8	Fair	Bladed
430A	0.5	Gravel	0	2	Fair	Bladed;
431	0.85	Gravel	0	4	Needs gravel	Cleared Brush and installed culvert
432	4.4	Gravel	0	8	Fair	Watered; bladed, oiled and rolled; shredded;
433	1.1	Gravel	0	2	(Was 428A) Fair	Bladed; Hauled gravel
434	2.32	Gravel	0	3	Fair - Fast growing development coming;	Oiled; bladed, watered, rolled; Shredded
434 LOOP	4.12	Gravel & Seal Coat	1	13	(Was part of 434) Fair-shape, needs attention, sections needs to be grind up.	Patched; 9/18/2017 Neyland Bridge Constr installed a new bridge; Patched; Worked on approach to bridge; cleaned up around bridge; hauled in base to fill sink hole by bridge; drained standing water. Worked on another sink hole.
435	0.4	Gravel	0	0	(Was part of 439) Fair	Bladed;
436	0.7	Gravel	0	3	Fair	Bladed;

William County Precinct 4 - Road Report
September 1, 2017 - August 31, 2018

437	3.3	Gravel & Seal Coat	1	7	(Was Part of 443) From City limits to just past cemetery good, From Cemetery north needs work.	Patched; Grinded road, packed, bladed, watered; shredded; watered; Bladed; culverts; 087860549
438	2.4	Gravel	0	5	Fair	Bladed;
439	1.9	Gravel	0	5	Fair	Bladed;
440	2.3	Seal-Coat	0	8	Fair	Patched;
442	2.7	Seal-Coat	1	10	(Hwy 79 to 446) Mostly Good- has sections that need to be grinded up and reworked.	Bladed, swept, oiled and cold patched; Chip sealed; 4/17/17 Neyland Bridge Constr Installed new bridge; patched; Clear ROW and replaced culvert across road.
445	1.4	Gravel	3	1	(Thorndale to 440) Fair - needs gravel	8/21/2017 TXDOT Closed road to replace 1st wooden bridge with a concrete bridge. Worked on the approach on new bridge, hauled Weise gravel; Replaced boards on wooden bridge.
446	8.1	Seal-Coat	0	23	Fair to good; some section need to be ground up and reworked.	Shredded; Patched; Replaced several culverts.
446A	0.4	Gravel	0	2	(McDaniel Road) Fair	Replaced road sign; replace culvert;
447	3.3	Gravel	0	7	Fair - SE needs some gravel	Bladed; shredded;
448	8.5	Gravel & Seal Coat	0	11	Fair	Shredded; Patched;
448A	0.5	Gravel	0	0	Fair	Shredded;
449	4.3	Gravel & Seal Coat	0	5	Fair-needs gravel, sections need to be ground up and reworked.	Cleared ROW; Bladed; shredded;
450	4	Seal-Coat	0	8	Fair-sections need to be ground up and paved; Large development coming	Shredded; grinded, bladed, laid base; rolled, watered; Patched; Replaced culverts; cleaned ditches;
451	0.5	Seal-Coat	0	1	Fair	Patched;
452	0.7	Gravel	0	1	Fair	Replaced road sign; Cut brush;
453	0.7	Seal-Coat	0	4	(Between 450 & 455) Fair	Cut down grapevines, shredded;
454	3.8	Gravel & Seal Coat	0	8	Fair-gravel southern part (1mi), Northern part needs to be ground up and reworked.	Bladed; watered road; dug up rock; shredded; oiled;

William County Precinct 4 - Road Report
September 1, 2017 - August 31, 2018

455	10.6	Seal-Coat	0	29	Fair - Fast growing development coming; Will need to be upgraded in the future.	Shredded; Patched; Bladed; replaced culvert @ Perry Ln;
456	2.1	Gravel	0	3	Fair - needs gravel	Installed Lincoln Lane Sign; Shredded;
457	4.3	Seal-Coat	0	4	Top end in good shape, pavement good, gravel part needs more gravel	Shredded; Bladed; clear ROW; Patched; cut brush;
458	2.2	Seal-Coat	0	6	Good shape up to 457 past that it's in fair shape	Shredded; Patched; Bladed;
458A	3.1	Seal-Coat	0	6	Good shape need to seal over ground up spots,	Shredded/cut brush; clear ROW;
459	1.8	Seal-Coat	0	4	Fair to good; need to seal over ground up spots;	Shredded;
460	1.9	Gravel	0	4	Fair to poor needs gravel	Bladed; Patched; Cleared ROW; and worked on drainage;
461	0.4	Seal-Coat	0	0	Fair shape	Patched; bladed;
462	2.4	Gravel	0	8	(443 Loop) Fair	Watered; Bladed, oiled and rolled; Patched;
463	1.7	Gravel & Seal-Coat	0	6	(FM486 to 437) needs to be ground up and reworked	FEMA declared road in Brushy bottom a disaster; Assisted Bartlett Elec. Moving a electric pole; grinding sections of road; Bladed east side of Brushy Creek;
464	2.9	Gravel & Seal-Coat	2	4	(FM486 to 434 Loop) In to good shape to 430 past that fair, bridge is out and unexessable	Patched
ALL DAY ST	0.5	Seal-Coat	0	1	Fair-needs to be resealed	Patched
BEVERLY DR	0.5	Seal-Coat	0	0	Fair	Patched;
BOYD LANE	0.3	Seal-Coat	0	2	Fair	Patched;
BUSH ROAD	0.9	Seal-Coat	0	3	Fair does need attention	Trimed Trees
CHAMPION DRIVE	0.55	Seal-Coat	0	1	Good	Bladed;
CUMLEY LANE	1.2	Gravel	0	3	Fair	Shredded/cut brush; Patched; dug up soft spots at railroad track;
CYPRESS TRAIL	2.2	Seal-Coat	0	5	Fair-needs attention	Patched;
ELM CREEK Estates	0.9	Seal-Coat	0	2	Good	Installed Watch for Children sign; Patched; Chip sealed;
GABRIEL'S CROSSING ADD.	0.5	Seal-Coat	0	5	Good	Hauled base, bladed; watered;
GRIFFIN LANE	0.5	Gravel	0	0	Fair	

William County Precinct 4 - Road Report
 September 1, 2017 - August 31, 2018

BK0087PG0551

JOST LANE	0.6	Gravel	0	2	Fair	Patched;
OAK PARK ADDITION	1.45	Seal-Coat	0	5	Fair needs to be resurfaced	Clean Ditch on Oak Park 1; Patched;
PERRY LANE	1.1	Gravel	0	2	Fair needs some gravel	Bladed;
PRAESEL ADDITION	2.45	Seal-Coat	0	22	Fair	Patched;
ROCKDALE WEST	0.7	Seal-Coat	0	4	Fair	Patched;
RUSSEL ADDITION	0.4	Seal-Coat	0	0	Fair	Patched;
SANDOVAL ROAD	0.5	Seal-Coat	0	1	Good	
WESTERN HILLS	1.5	Seal-Coat	0	5	Fair	Patched;
TOTAL MILES	182.54					
TOTAL BRIDGES			11			
TOTAL CULVERTS				444		
TOTAL # OF ROADS	90					

William County Pet 4 Road Bridges
Gravel, Oil, ETC
September, 2017 to August, 2018

Company	Product	Jan-18	Feb-18	Mar-18	Apr-18	May-18	Jun-18	Jul-18	Aug-18	Sep-17	Oct-17	Nov-17	Dec-17	Total
Boral Material Tech.	Fly Ash (Tons)													152
	Macs Ash (Tons)				190.28				152.21			194.43		384
Brandon Allen	Gravel	1468												1468.00
Cleveland Asphalt Prod.	CRS-2 (lbs)													0.00
	SS-1H (lbs)													0.00
Ergon Asphalt & Emulsions	AE-P (Tons)				3.74	6.14	3.17		20.86	17.20				33.91
	CRS-2 (Tons)					56.93				8.09				74.13
	CSS-1H								7.90					15.99
Knife River	5 Sacka Grout (Yds)													0.00
	High Perf. Cold Mix		22.87	47.20		22.49				23.11			23.45	116
	Hot Mixed-Cold Laid													23
Kroeger's Pit	Red Dirt (yds)													0.00
Mine Services	AES-300 Cold Mix (tons)		15.14	11.23	95.90	168.19	13.91	167.21		268.09	385.00			1124.67
	C Rock													0.00
	DF Blend													0.00
	Torpedo Rock (#16)	50.80	66.12		118.67		11.87							247.46
Svetik Gravel Pit	Gravel								480					480.00
Texas Crushed Stone	1 1/4 Fill Material		415.16											415.16
	1-2-3/8 Type D					369.85				48.73	97.07			515
	1 3/4 -3/4 Ballast #4	47.78	193.63	97.58	47.54		23.84			146.15	99.14		241.17	896
	1 3/4 Standard Base	1074.55	390.90	579.69	851.34	572.52	779.07	360.66	487.57	636.77	904.37	560.66	120.79	7318.89
	1 3/4 Super Base Test						47.77							47.77
	1 x 1/2 Hard Stone						69.47							69.47
	3/4 -3/8 Con Agg													0.00
	3 x 5" Hard Stone													0.00

Milam County Pct 4 Road Bridges
 Gravel, Oil, ETC
 September, 2017 to August, 2018

	Barko Base																			0.00
Weise Gravel Pit	Gravel	336	680		1240			216												2472.00

BK0087P60553